



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

SDS # : 33025

FINAVESTAN A 360 B

Date of the previous version: 2015-03-19

Revision Date: 2016-05-03

Version 3.06

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	FINAVESTAN A 360 B
REACH Registration Number	01-2119487078-27
Number	J93
Substance/mixture	Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	White mineral oil.
------------------------	--------------------

1.3. Details of the supplier of the safety data sheet

Supplier	<p>A - TOTAL BELGIUM Handelsstraat, 93, Rue du Commerce B-1040 BRUSSEL - BRUXELLES België - Belgique Tel : +32 (0)22 889 933 Fax : +32 (0)22 883 260</p> <p>B - TOTAL LUBRIFIANTS 562 Avenue du Parc de L'île 92029 Nanterre Cedex FRANCE Tél: +33 (0)1 41 35 40 00 Fax: +33 (0)1 41 35 84 71***</p>
-----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

For further information, please contact:

Responsible/issuing person

Contact Point	A - HSE
	B - HSE***
E-mail Address	A - rm.be-reach-belgium-msds@total.com
	B - rm.msds-lubs@total.com ***

1.4. Emergency telephone number

Official National Emergency Number:

Teleserv S.O.S Total Belgium : +32 (0)78 15 51 51
 On duty staff in Ertvelde (Lub): +32 (0)475 66 07 77

Burns Centers:

Bruxelles - (NOH) - Brussel : +32 (0)2 264 48 48, Hopital Militaire Reine Astrid - Militair Hospitaal Koningin Astrid



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

Antwerpen - Anvers : +32 (0)3 217 71 11, Algemeen centrum Ziekenhuis
 Gent - Gand : +32 (0)9 240 34 90 Centre Universitaire UZ Gand-Universitair Ziekenhuis UZ Gent
 Leuven - Louvain : +32 (0)16 34 87 50 U.Z. Leuven
 Loverval : +32 (0)71 44 80 00, Hôpital Saint Joseph et Sainte Thérèse, section I.M.T.R
 Luik - Liège : +32 (0)4 366 72 94, CHU Liège domaine Universitaire du Sart Tilman

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

For the full text of the H-Statements mentioned in this Section, see Section 2.2.

Classification

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008

2.2. Label elements

Labelled according to REGULATION (EC) No 1272/2008

Hazard Statements

None

Precautionary statements

None***

2.3. Other hazards

Physical-Chemical Properties Contaminated surfaces will be extremely slippery.

Environmental properties Should not be released into the environment.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	GHS Classification
White mineral oil (petroleum)***	232-455-8	01-2119487078-27	8042-47-5	100	-

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.***
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.***
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. Take victim immediately to hospital.***
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre immediately.***

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	Not classified.
Inhalation	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. ***

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	Carbon dioxide (CO ₂). ABC powder. Foam. Water spray or fog.***
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

5.3. Precautions for fire-fighters

Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.***

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.***

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.***

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing.***

Prevention of fire and explosion Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.***

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.***

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard

SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.***

Materials to avoid

Strong oxidising agents.***

7.3. Specific use(s)

Specific use(s)

No information available.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres

Exposure limits

Mineral oil mist:
USA: OSHA (PEL) TWA 5 mg/m³, NIOSH (REL) TWA 5 mg/m³, STEL 10 mg/m³, ACGIH (TLV) TWA 5 mg/m³ (highly refined)

Legend

See section 16

DNEL Worker (Industrial/Professional)

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
White mineral oil (petroleum)*** 8042-47-5			220 mg/kg/8h (dermal) 160 mg/m ³ /8h (aerosol - inhalation)	

DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
White mineral oil (petroleum)*** 8042-47-5			92 mg/kg/8h (dermal) 35 mg/m ³ /8h (aerosol - inhalation) 40 mg/kg/24h (oral)	

8.2. Exposure controls

Occupational Exposure Controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal protective equipment

General Information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387), Type A/P1. The use of breathing apparatus must comply strictly with the



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

manufacturer's instructions and the regulations governing their choices and uses.

Eye protection

If splashes are likely to occur, wear: Safety glasses with side-shields.

Skin and body protection

Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Hand protection

Hydrocarbon-proof gloves: Fluorinated rubber, Nitrile rubber. In case of prolonged contact with the product, it is recommended to wear gloves complying with EN 420 and EN 374 standards, protecting at least for 480 minutes and having a thickness of 0,38 mm at least. These values are indicative only. The level of protection is provided by the material of the glove, its technical characteristics, its resistance to the chemicals to be handled, the appropriateness of its use and its replacement frequency.***

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance		Clear***	
Colour		colourless	
Physical state @20°C		Liquid	
Odour		odourless	
Odour Threshold		No information available	
Property	Values	Remarks	Method
pH ***	***	Not applicable***	***
Melting point/range		Not applicable***	
Boiling point/boiling range		No information available***	
Flash point	> 240 °C > 464 °F		ASTM D 92 ASTM D 92
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Upper ***	***	No information available***	***
Lower ***	***	No information available***	***
Vapour pressure		No information available	
Vapour density		No information available	
Relative density ***	*** 0.87***	@ 15 °C***	***
Density	870 kg/m ³	@ 15 °C	
Water solubility		Insoluble	
Solubility in other solvents		No information available	
logPow		No information available***	
Autoignition temperature ***	> 250 °C > 482 °F	***	*** ***
Decomposition temperature		No information available	
Viscosity, kinematic	68 mm ² /s	@ 40 °C	ISO 3104



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

Explosive properties	Not explosive
Oxidising properties	Not applicable
Possibility of hazardous reactions	No information available***

9.2. Other information

Freezing point	***	No information available***

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

General Information	No information available.***
----------------------------	------------------------------

10.2. Chemical stability

Stability	Stable under recommended storage conditions.
------------------	----------------------------------------------

10.3. Possibility of hazardous reactions

Hazardous reactions	None under normal processing.
----------------------------	-------------------------------

10.4. Conditions to Avoid

Conditions to Avoid	Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.***
----------------------------	------------------------------------------------------------------------------------------------

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents.***
---------------------------	-----------------------------

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products	None under normal use. Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.***
-----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effectsAcute toxicity Local effects Product Information

Skin contact	. Not classified.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
White mineral oil (petroleum)***	LD50 > 5000 mg/kg bw (rat)	LD50 > 2000 mg/kg bw (rabbit)	LC50 (4h) > 5000 mg/m ³ air (aerosol) (rat)

Sensitisation

Sensitisation Not classified as a sensitizer.

Specific effects

Carcinogenicity This product is not classified carcinogenic.
Mutagenicity This product is not classified as mutagenic.
Reproductive toxicity This product does not present any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic Toxicity No information available.

Target Organ Effects (STOT)**Other information**

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated exposures (contact with contaminated clothing).

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
White mineral oil (petroleum)*** 8042-47-5	EL50 (48h) > 100 mg (Pseudokirchnerella subcapitata - OECD 201)	EL50 (48h) > 100 mg/l (Daphnia magna - OECD 202)	LL50 (96h) > 100 mg/l (Oncorhynchus mykiss - OECD 203)	

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and	Toxicity to fish	Toxicity to
---------------	-------------------	-------------------------	------------------	-------------



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

		other aquatic invertebrates.		microorganisms
White mineral oil (petroleum)*** 8042-47-5		NOEL (21d) 10 mg/l (Daphnia magna - OECD 211)	NOEL (14/21d) > 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

Effects on terrestrial organisms

No information available.***

12.2. Persistence and Degradability**General Information**

No information available.

12.3. Bioaccumulative potential**Product Information**

No information available.***

logPow

No information available***

Component Information

No information available.***

Chemical Name	log Pow
White mineral oil (petroleum)*** - 8042-47-5	-

12.4. Mobility in soil**Soil**

Given its physical and chemical characteristics, the product generally shows low soil mobility.***

Air

Loss by evaporation is limited.***

Water

Insoluble. The product spreads on the surface of the water.***

12.5. Results of PBT and vPvB assessment**PBT and vPvB assessment**

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects**General Information**

No information available.***

Section 13: DISPOSAL CONSIDERATIONS13.1. Waste treatment methods**Waste from residues / unused products**

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.***



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

EWC Waste Disposal No

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

International Inventories All the substances contained in this product are listed or exempted from listing in the following inventories:
 Europe (EINECS/ELINCS/NLP)
 U.S.A. (TSCA)
 Canada (DSL/NDSL)
 Japan (ENCS)
 China (IECSC)
 Korea (KECL)
 Philippines (PICCS)
 Australia (AICS)
 New Zealand (NZIoC)

Further information

No information available

15.2. Chemical Safety Assessment

Chemical Safety Assessment A Chemical Safety Assessment has been carried out for this substance.

15.3. National regulatory information

Belgium



SDS # : 33025

FINAVESTAN A 360 B

Revision Date: 2016-05-03

Version 3.06

- Avoid exceeding occupational exposure limits (see section 8).

Section 16: OTHER INFORMATION

Abbreviations, acronyms

ACGIH = American Conference of Governmental Industrial Hygienists

bw = body weight

bw/day = body weight/day

EC x = Effect Concentration associated with x% response

GLP = Good Laboratory Practice

IARC = International Agency for Research of Cancer

LC50 = 50% Lethal concentration - Concentration of a chemical in air or a chemical in water which causes the death of 50% (one half) of a group of test animals

LD50 = 50% Lethal Dose - Chemical amount, given at once, which causes the death of 50% (one half) of a group of test animals

LL = Lethal Loading

NIOSH = National Institute of Occupational Safety and Health

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOEL = No Observed Effect Level

OECD = Organization for Economic Co-operation and Development

OSHA = Occupational Safety and Health Administration

UVCB = Substance of unknown or Variable composition, Complex reaction products or Biological material

DNEL = Derived No Effect Level

PNEC = Predicted No Effect Concentration

dw = dry weight

fw = fresh water

mw = marine water

or = occasional release

Legend Section 8

TWA: Time Weight Average

STEL: Short Time Exposure Limit

+ Sensitiser

** Hazard Designation

M: Mutagen

*

C:

R:

Skin designation

Carcinogen

Toxic to reproduction

Revision Date: 2016-05-03

Revision Note *** Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of Safety Data Sheet